

## Chapter 8

### **Beljanski Remedy Dosages Recorded by French Physician, Christian Marcowith, M.D.**

Throughout the prior chapters I have provided pieces of the back story involving the professional jealousy and extreme discord between Mirko Beljanski, Ph.D., and Jacques Monod, Ph.D., Director of the Pasteur institute during most of Beljanski's tenure there. The full narrative of their hatred is the stuff of movies, a story involving interpersonal politics which definitely prevented recognition from coming to Dr. Beljanski and his exceedingly important discoveries. The public could have had access much sooner to Beljanski's discoveries concerning cancer and AIDS were it not for the enormous amount of ill will between Beljanski and Monod.

Mirko Beljanski was prevented from attaining his esteemed rightful place among the world's recognized medical heroes such as Louis Pasteur, Joseph Lister, and Linus Pauling in large part from because of the malice felt between Monod and himself. But the stormy tale doesn't stop there. Our intrepid warrior also underwent extreme conflict with the entire French biochemical/pharmaceutical establishment. Contempt and controversy were vigorously pursued against Dr. Beljanski from anyone who utilized drugs and other laboratory-produced, unnatural and toxic-type medical practices against degenerative diseases. Pharmacists, makers of synthetic medicines, and drug distributors were his arch enemies. Those very real conflicts and associated controversies extended from the initial time of Dr. Jacques Monod's administration at the Pasteur Institute beginning approximately in 1953 to the end of Beljanski's life in 1998 and beyond.

Although the true perception of his genius by the world's scientific community did not actually occur in his lifetime, he is currently acknowledged as a hero. Recognition did arise from medical doctors as well as from his fellow chemical and biological scientists from all around the world. There were numbers of such acknowledgments. One of the most significant tributes paid to the body of work of Dr. Mirko Beljanski is the affirmation offered by practicing French holistic physician Christian Marcowith, M.D. Dr. Marcowith was one of the many very brave medical doctors who prescribed his patients Beljanski's products, even when it was dangerous to do so after the French government had prosecuted Beljanski and found him guilty of practicing medicine illegally.<sup>i</sup>

The Marcowith notes written in French and embodying a variety of health-care practices involving a number of therapies of Complementary, Alternative, Integrative Medicine (CAIM) have already been issued in printed form by EVI Liberty Corporation of New York City with the kind authorization of Dr. Marcowith's widow. They are now available in the published booklet *Cancer: l'Approche Beljanski* (which translates to *Cancer: The Beljanski Approach*).<sup>ii</sup>

As Monique Beljanski recalls: "Christian Marcowith was a charming, open, attentive, and discreet man. A native of Isère, France, the region where Mirko had located his privately maintained research laboratory after departing from the Pasteur Institute, Dr. Marcowith was quite familiar with Dr. Beljanski's products. He used them [dispensed to patients from his clinic dispensary] for a long time. The notes [about his treatment results] that Dr. Marcowith left to Mirko are irreplaceable."

This small booklet, *The Beljanski Approach*, produced from the written clinical experiences of Dr. Marcowith, is available only in the French language, and sells in France. I believe an English-language reader who is intent on healing or preventing a degenerative disease can benefit from those reputable holistic medical doctor's treatment notes; they give the required dosage for each of Beljanski's botanicals and his RNA fragments as Dr. Marcowith prescribed for patients to overcome pathologies. Therefore, I am furnishing below a translated version directly from Dr. Christian Marcowith's notebooks and with the blessing of EVI Liberty Corporation.

Dr. Marcowith found, as many others have, that Beljanski's discoveries are *selective*, whether by destroying cancer cells without harming healthy cells or by stimulating the physiological production of beneficial immune cells, or by regulating and normalizing proteins which are built up excessively due to various diseases. Too much protein buildup becomes an accumulated destructive waste that overburdens the body, and that's what Beljanski's botanicals help handle.

Thus below I am providing you with the following translation from the French language of notations made in his own hand by family physician Christian Marcowith, M.D. Dr. Marcowith had a special interest in eliminating degenerative diseases, especially cancers.

NOTE: This is not advice from a doctor to a patient, nor is it intended to be used as advice from a doctor. These are notes written from one physician to another. As always, seek help

from a medical professional when embarking on any treatment for cancer, AIDS, or any other ailment.

### **Notes from Christian Marcowith, M.D., for Study Purposes on the Discoveries of Mirko Beljanski, Ph.D.**

In notebooks assigned for the use of Dr. Mirko Beljanski, Christian Marcowith, M.D., furnished amounts of dosages of all Dr. Beljanski's discoveries, as well as treatment details that he found effective. The information is invaluable for physicians prescribing for patients suffering from any form of cancer or other degenerative diseases such as hepatitis, herpes, HIV, atherosclerosis, prostatitis, and many more.

Dr. Marcowith's notes on therapy for degenerative diseases read as follows:

*There are two main anticancer botanicals derived from rain forest herbs, Pao pereira and Rauwolfia vomitoria. Both kill cancer cells and only cancer cells. They have no toxic effect on the individual. They are taken orally; if possible they should be swallowed several times during the day with meals. As they do not have the same target in the cell, taking them together doubles the individual's chance of destroying cancer cells.*

*Both can be used alone as a preventative measure or as a treatment; however, it is important to understand that these two products work in synergy with conventional treatments, meaning that each one maintains its individual mode of action, but the therapeutic effects are compounded. There are two separate reasons to choose one or the other of the botanicals.*

*Pao pereira fights cancer cells with no side effects. It can be used either as a treatment or as a preventative measure. In addition, the alkaloid in this herb can cross the blood-brain barrier which makes it possible to add it to any treatment protocol for brain cancers and certain viruses. Still, in the latter cases the dose of Pao pereira must be increased since it is only a small fraction of the product that can cross the meningeal barrier.*

*Other than its anticancer activity, Pao pereira is a strong inhibitor of viruses: in both viruses with RNA genomes such as influenza, HIV, FEV (feline), hepatitis C, etc. as well as DNA genome viruses such as hepatitis A and B and herpes. Pao pereira's effectiveness is not affected by hormones.*

*Rauwolfia vomitoria has an affinity for hormonally-dependent tissues, including the breasts, prostate, testicles, thyroid, uterus, ovaries, cervix, etc. Thus, this remedy is very desirable if the organ affected is hormonally-dependent. Yet, if patients are receiving hormones, antihormones or corticoids, Rauwolfia vomitoria is not advised to be taken since its effect will be neutralized by these substances as they compete with one another. Rauwolfia vomitoria can be taken to combat the negative effects of menopause, or as a preventative measure in the case of suspicion or risk of a particular pathology.*

*RNA fragments from Escherichia coli bacteria [please see Chapter Five on RNA Fragments for a full explanation of this remedy's action] do not work as an anticancer agent or as an antiviral agent. Instead, the small fragments of RNA are used for stimulating the new and rapid generation of the*

*immune defenses and platelets (thrombocytes), helping patients to better protect themselves from infection. In a situation where conventional cytotoxic therapies [chemotherapy, radiation therapy, and very serious, traumatic surgery such as in the Whipple's procedure for pancreatic cancer] have been received, the RNA fragments protect the patients' physiology from such treatments' harsh effects. In older people, natural immunity has a tendency to diminish, so the ingestion of one dose per week of small RNA fragments is advised as a preventative measure. One dose is also advised for those people undergoing diagnostic X-ray examinations, vaccinations, etc., which are able to alter the fragile immune cells.*

*In many auto-immune diseases, there is immunological disorder; therefore, ingesting a few doses of E. coli's small RNA fragments can be quite beneficial. These RNA fragments are taken orally, to be dissolved or melted in the mouth without water.*

*Beljanski's Ginkgo biloba is unlike any other conventional plant extract, and so is its application. The unique Ginkgo biloba extract is recommended very strongly to anyone undergoing anticancer treatment because disease coupled with conventional treatments work to disrupt normal protein functioning, which poses a danger for the patient. What's more, certain diseases encourage untimely protein buildup, one of the many cancer markers, for example, as well as other cancer markers like gamma GT and transaminases. The Ginkgo biloba extract can significantly help to control this process of cancer marker production. In addition, it protects against the fibrosis often induced by radiation over time, as well as the burns that are also associated with radiation treatment.*

*Without exhibiting any detrimental side effects, the particular extract of Ginkgo biloba invented by Beljanski has proven itself to be beneficial to nearly all patients.*

## **The Protocols as Prescribed for Patients Treated by Christian Marcowith, M.D., using Mirko Beljanski's extracts**

The following is the protocol Dr. Marcowith used for patient application of Dr. Beljanski's products against hormonally dependent malignancies. This treatment protocol, recorded in notebooks by Christian Marcowith, M.D., was prescribed by him for patients under his care and was especially useful for those with tumors arising in the endocrine system. The protocol may be applied in conjunction with radiation therapy and/or chemotherapy. In translation from the French, Dr. Marcowith has written:

### **For Malignancies of the Breast, Prostate, and Uterus**

*These endocrine system tumors affect organs that secrete specific hormones or growth factors. Here is the protocol for therapeutic application of specific products:*

***Pao pereira:*** swallow 4 to 5 vegetarian capsules per day.

***Rauwolfia vomitoria:*** ingest 4 to 5 vegetarian capsules in divided doses, and swallow them three times per day 20 to 30 minutes before each meal. If undertaking any type of hormone treatment using antihormones or corticosteroids, replace the *Rauwolfia* with *Pao pereira* (by increasing its dosage).

***Ginkgo biloba:*** take 4 to 6 capsules per day

***RNA fragments from Escherichia coli:*** should be taken if the blood cell levels (white blood cells and platelets) are at reduced levels owing to receiving radiation or chemotherapy. In this case, start taking the RNA fragments the day before any cytotoxic treatments begin.

*The RNA fragments in the form of powders are to be held sublingually [under the tongue] until dissolved, 2 to 3 times per week, and avoid drinking liquids immediately afterwards. Do not ingest RNA fragments close to meal times. Test the patient's blood count often.*

### **The Protocol for Thyroid Cancer**

***Pao pereira:*** ingest 6 to 8 capsules per day

***Rauwolfia vomitoria:*** take 4 capsules per day

***Ginkgo biloba:*** take 4 capsules per day

***RNA fragments:*** take the powders according to results of the blood cell count

### **The Protocol for Skin Cancer**

***Pao pereira:*** swallow 6 to 8 capsules per day

***Rauwolfia vomitoria:*** pop down 4 capsules per day

***Ginkgo biloba:*** take 4 to 6 capsules per day

### **Application of the Protocol for various Digestive Tract Tumors**

*Such cancers include:*

### **Carcinoid tumors in the small intestine**

*In addition to conventional radiation or chemotherapy treatments, take:*

***Pao pereira:*** 4 to 8 capsules according to the severity of the situation, plus

***Rauwolfia vomitoria:*** 4 to 6 capsules per day, plus

***Ginkgo biloba:*** 4 capsules per day (all the more necessary if undergoing radiation)

### **Tumors of the large intestine**

*With the advent of a strong hormonal response, the risk of intestinal cancer is greatly increased in people with thyroid problems.*

*In addition to conventional treatment (preferably radiation therapy, take the following:*

***Pao pereira:*** 8 to 10 capsules per day during aggressive treatment; 6 to 8 capsules thereafter

***Rauwolfia vomitoria:*** 4 to 6 capsules per day

***Ginkgo biloba:*** 4 capsules per day

***RNA fragments*** if aplasia (defective cell count) is present: 2 or 3 doses a week

### **Esophageal and/or Stomach Cancer**

*In addition to regular, conventional cytotoxic or radiation treatment, the cancer patient may greatly benefit by taking:*

***Pao pereira:*** 6 to 10 capsules per day during aggressive treatment; thereafter reduce to a maintenance dose of 4 to 6 capsules daily

***Rauwolfia vomitoria:*** 3 to 4 capsules per day

***Ginkgo biloba:*** 4 to 5 capsules per day

***RNA fragments:*** take them if one's reduced level of white blood cells or platelets necessitates such ingestion.

### **Pancreatic Cancer**

*This is an extremely difficult malignancy to overcome inasmuch as it has a mere 1.5 percentage rate of survival for up to five years. In addition to conventional treatments (generally radiation therapy and/or chemotherapy), take:*

***Pao pereira:*** 10 capsules or more each day

***Rauwolfia vomitoria:*** 5 capsules per day

***Ginkgo biloba:*** 6 to 8 capsules per day

*Monitor transaminase and GT gamma, which are cancer markers indicating the cancer's evolution.*

### **Brain Tumors**

*In addition to radiation therapy, the cancer patient may benefit from the fact that the active ingredient in the Pao pereira extract crosses the meningeal barrier and shows a synergy of action with radiation therapy that fights this type of cancer and, more generally, all brain cancers. Pao pereira's equally antiviral action will allow it to fight certain viruses which induce brain cancers.*

***Pao pereira***: take 8 to 12 capsules per day

***Ginkgo biloba***: swallow 4 to 6 capsules per day. This herb is made all the more necessary in the case of radiation therapy in order to avoid the fibrosis caused by radiation waves.

## **Myeloma, Leukemia**

*A three-pronged approach may be advantageous:*

*A – **Pao pereira** extract acts in synergy with conventional treatments to strengthen the inhibition of malignant cells and/or the inhibition of viruses, which we know often play a role in the formation of malignant hemopathies.*

*For the aggressive phase: Swallow 2 Pao pereira capsules per 22 lbs. of body weight per day (approximate). Then: reduce the dosage to 1 capsule per 22 lbs. of body weight per day (approximate). Capsules to be taken before breakfast and dinner.*

*B – **RNA fragments** preserve normal bone marrow cell replication and, therefore, stimulate immunity: ingest 1 dose every other day during chemotherapy and two doses per week outside of treatments.*

*The number of platelets must also be monitored each week and dosage should be increased if necessary (maximum: 3 doses per week).*

*In a case where correction of aplasia is the required objective (for example in acute leukemia), start taking RNA fragments only after obtaining aplasia in order to accelerate the regeneration of leukocyte populations.*

*Ferritin, a protein that stores iron, forms as a result of the damage caused to erythrocytes [red blood cells] by chemotherapy. It enters the bone marrow mostly from the liver and spleen and prevents the formation of red blood cells. One needs 2.7 million red blood cells to ensure sufficient oxygenation for syntheses and to ensure that RNA fragments can work effectively. However, when RNA fragments are given to a patient with low red blood cell counts, it helps him to avoid complications. The medical technician can do a red blood cell transfusion and then give the RNA fragments which will immediately start to work; one will then note the increase in leucocytes [white blood cells] and platelets.*

*The addition of magnesium makes it possible to curb the excess of ribonucleases in the patient's plasma.*

*Cytotoxic agents used for chemotherapy invariably are accompanied by unwanted adverse side effects. For instance, response to chemotherapy is very often accompanied by malignant cell resistance and resistance of certain enzymatic dysfunctions. In these cases, one particular Beljanski remedy works well. It is:*

*C – **Ginkgo biloba** helps to regulate the activity of numerous enzymes. The administration of this herb is straightforward: Take 2 capsules of Dr. Beljanski's unique Ginkgo extract in the morning and evening starting at the beginning of chemotherapy treatment.*

## **Bone Cancer**

*Bones afflicted by cancerous tumors lose calcium and phosphate. These two minerals tend to form a combined coating which covers the tumor and protects it against the effects of natural extracts. Yes, after cauterization with radiation, the tumor will once again be treatable.*

*Pao pereira: ingest 8 to 10 vegetarian capsules per day.*

*Ginkgo biloba: take 4 per day.*

*RNA fragments should be taken during radiation therapy.*

## **The Lymphoma Cancers**

### **Skin lymphoma**

*Pao pereira: swallow 3 capsules of the herbal remedy morning and evening, 20 minutes before mealtime.*

*Rauwolfia vomitoria: swallow 2 to 3 capsules per day of this herbal extract (as much for its cumulative effect as for its fluorescent marker effect) and also because this anticancer remedy has to do with hormonally dependent tissues (by means of testosterone).*

### **Non-Hodgkin's lymphoma**

*Pao Pereira: take 8 to 10 capsules per day (during aggressive treatment with radiation therapy).*

*Ginkgo biloba: take 4 to 6 capsules per day.*

*RNA fragments: ingest according to blood cell levels (to be adjusted).*

### **Hodgkin's lymphoma**

*Pao pereira: ingest 8 to 10 capsules per day of Pao Pereira.*

*Ginkgo biloba: take 4 to 6 capsules per day of this herb.*

## **Ideal Duration of Treatment with Dr. Beljanski's Products**

*Pao pereira and Rauwolfia vomitoria: take these two inhibitor extracts together for their synergistic effect.*

*a. Start as early as possible following diagnosis.*

*b. Take the supplements over the course of the day, before breakfast and dinner.*

*c. Continue, concurrent with other traditional therapies, until the clinical state has once again become satisfactory. To be prudent, one can continue with the Beljanski extracts for a month or two past this point.*

*d. Later, engage in cyclical usage for preventative purposes for from 2 to 5 months per year.*

## **For the two Beljanski remedy regulators**

*RNA fragments:*

*Start just after chemotherapy or radiation treatments have begun when they are inducing a drop in white blood cells (unless aplasia is the objective). Continue until white blood cells and platelets have returned to normal. Take one dose preferably sublingually, one to three times per week. Do not drink any liquid immediately afterward. Ideally the RNA fragments are to be taken under the tongue far from mealtimes.*

*If the patient is taking heparin: ingest RNA fragments either twelve hours before or twelve hours after use of this drug.*

### **Ginkgo biloba:**

*In order to regulate/curb hyperactivity of certain enzymes; synergistic usage of this herb is used with traditional cytotoxic treatments. To fight radiation burns: start preferably just before ionizing treatments are received that may induce fibrosis; continue until the end of radiation treatments, even up to a month afterwards. Previous fibroses may also be advantageously treated. The sooner the strategies are implemented, the better the results.*

## **Cancer Prevention**

(Author's note: while I have delved into the subject of cancer prevention in the preceding chapter, I am including Dr. Marcowith's notes on prevention, for they reiterate important information.)

*Pao pereira and Rauwolfia vomitoria extracts have no side effects and do not cause resistance to developing healing effects. In the absence of cancerous cells to attach themselves to, the molecules of alkaloid present within the two herbs (the actual healing agents) are rapidly eliminated from the body since they only join themselves to deregulated cells. Consequently, these extracts can easily be taken as a means of prevention in all precancerous states. One can also use them in recurrent cycles as a means of prevention in people with high risk of developing cancer.*

*RNA fragments, in the same way, can be ingested with no toxicity as a means of prevention/repair for chromosomal breakage that inevitably accompanies ionizing radiation examinations (mammography, scintigraphy, X-rays, etc.). Take one cone-shaped unit of RNA fragments 24 hours before the examination and another one day after.*

## **Further Advice**

*Exposure to the sun is never recommended because UV rays stimulate the multiplication of cancerous and viral cells. A diet excessively rich in iron (which includes red meat, lentils, parsley) is not recommended for anyone afflicted with cancer or a viral illness. Iron stimulates multiplication of cancerous and viral cells. It can also disturb the activity of certain enzymes.*

(For the ideal diet to prevent ingesting Ferritin from an excessive intake of iron, please see *The Gerson Therapy: The Amazing Nutritional Program for Cancer and Other Illnesses* about cancer treatment strictly using diet and nutritional supplementation.<sup>iii</sup> Please also view the information for Charlotte Gerson and The Gerson Institute description and location in Appendix A.)

*An excess of molecular calcium (Ca<sup>++</sup>) can be dangerous to certain sensitive lymphocyte lines, and intake of this mineral should be controlled if the lymphocyte level is too low. Again, please see a qualified doctor for more information and advice about this issue.*

*Taking magnesium in reasonable doses is always advisable for those afflicted with AIDS or cancer. Not only the illness but also the chemotherapy and radiation therapy treatments modify and strengthen the nuclease activity in the blood. Magnesium and Ginkgo biloba make it possible to reduce this excessive activity. Selenium and riboflavin are not to be missed either. Monitor these two nutrients, inasmuch as too small an amount of selenium facilitates cirrhosis of the liver.*

*Zinc should also be monitored in cases of cancer or AIDS. The blood level of this mineral should remain normal. Too little or too much zinc leads to disturbances in the lymphocyte levels. If there is excessive zinc, lower it through the interplay of copper and magnesium in measured doses. Avoid foods rich in zinc (i.e. oysters, wheat germ, yeast, dairy products). Do not lose sight of the fact that a zinc diet leads to a decrease in catalase activity (one of the major enzymes used in food digestion) in the kidneys and liver. If there is not enough zinc, take extra zinc supplementation (zinc orotate is quite easily assimilated). Swallow zinc supplements in measured doses two times per day. Keep close watch as this mineral increases and stop when it has reached normal levels.*

*An excess of copper can lead to zinc deficiency. To neutralize copper, prescribe zinc in measured doses for about one month.*

*If someone must take hormones, antihormones or corticoids for a lengthy period of time, abstain from taking Rauwolfia vomitoria because these molecules will reduce its effects. In this case, replace Rauwolfia vomitoria with Pao pereira.*

*It is preferable to exclude any gastro-intestinal dressings that contain clay or aluminum. (In other words, whenever you're dealing with gastro-intestinal issues, do not use clay or aluminum.)*

*In all circumstances where the level of ferritin is shown to be high, avoid ingesting extra vitamin C. Ferritin blocks the formation of hemoglobin in the liver and bone marrow and weakens red blood cells. As the degradation of red blood cells releases iron, ferritin increases. Especially monitor the patient undergoing several blood transfusions.*

*When there are repeated transfusions, think about the antibodies able to destroy blood cells (white blood cells and platelets) and become able to destroy them as soon as RNA fragments can generate them.*

*Insulin does not interfere with these products developed by Dr. Beljanski.*

*Heparin administered intravenously can prevent RNA fragments from working. Take RNA fragments and heparin at different times, separated by twelve hours, before or after.*

*Repeated mammographies and echographies can lead to chromosomal destabilization. Their repair is facilitated by taking RNA fragments one or two hours before the exam.*

*During radio-isotopic exploration (scintiscanning, mammography, measure of organ output with radioactive markers, synoviorthese, etc.), give RNA fragments a couple of hours before each test in order to protect against chromosomal breakage.*

*For rare patient situations in which RNA fragments are not sufficiently effective, include the following additional bits of advantageous information: either a lack of hemoglobin (fewer than 2.5 million red blood cells), or an excess of ribonuclease (this last case is able to be mitigated in part by taking magnesium).*

An especially significant point for slightly anemic people is that Dr. Marcowith records the following in his notes: *Having fewer than 2.5 million red blood cells causes a release of ferritin and a considerably slowed synthesis of white blood cells and platelets. Ferritin enters the bone marrow and the liver, preventing the synthesis of hemoglobin, a situation which considerably blocks the efficacy of RNA fragments. It is therefore necessary to start treatment by raising the level of red blood cells.*

## **Extensive Recognition for Mirko Beljanski, Ph.D., Received from His Scientific Peers**

During his lifetime Mirko Beljanski, fluent in his native Serbian, in French, and in English, was invited to present his work throughout the world. Dr. Beljanski's papers were published in many peer-reviewed national, international and highly-respected scientific journals (please see Appendix A for the full list of Mirko Beljanski's 133 scientific publications). Dr. Jacques Monod's opposition to Dr. Beljanski publishing in French turned out to be somewhat fortunate for it became an opportunity for greater international exposure and worldwide recognition.

In the book that she dedicated to her husband, Monique Beljanski published letters spanning several decades which reflected the Mirko Beljanski peers' respect and esteem for the research he conducted.<sup>iv</sup> Monique provided me with some of these letters for publication here. For instance, as early as 1973, Armin C. Braun of Rockefeller University in New York City wrote (in part) in a letter:

*Dear. Dr. Beljanski:*

*I read with great interest your manuscript on transforming RNA in crown gall [a plant disease]. I find this work very exciting and I would urge you to publish it at the earliest possible time in a journal that has a wide circulation such as the Proceedings of the National Academy of Sciences, Nature, or Science. You appear to have made a very important discovery and have obtained for the first time the sterile induction of transportable crown gall tumors with a specific agent other than bacteria.*

In the 1980s following Beljanski's visit to Howard University in Washington D.C., Associate Director of Research Kenneth Olden, Ph.D., and Seminar Committee Chairman Sandra L. White, Ph.D., wrote to Dr. Beljanski saying: "We, as well as our associates, were greatly inspired by your presentation. With the continued support of committed individuals like yourself, we are convinced that we can build a 'first-rate' research operation here at Howard."

Echoing this excitement over Beljanski's research, Swedish researcher Sten Friberg, M.D., Ph.D., contacted Dr. Beljanski following the presentation of one of his papers, exclaiming: "Your ideas and results are simply fascinating."

In the 1970s and 1980s before Dr. Jacques Monod's wrath succeeded in isolating Dr. Mirko Beljanski and turned him into a scientific black sheep, several renown big wigs in the French medical community, such as Professor Bernard Halpern, M.D., (of the Institute of Immune Biology, Paris, France), dared to praise Beljanski, saying [translated]: "Your work is of extreme importance for which I congratulate you. It deserves an award from the Academy of Sciences."

In 1988, the Oncology Clinic at the Bobigny University Hospital was conducting an experiment on Dr. Beljanski's *Ginkgo biloba* extract (named Bioparyl at the time) and its effectiveness in treating fibrosis. After obtaining positive results, the clinic's researchers sent Dr. Beljanski the following letter, in which they stated [translated]:

"As per your request, here are the preliminary results we have obtained in the post-radiation lesions following treatment with Bioparyl. It is still too early to ascertain the effect of dosage. However, its effectiveness is evident, especially in the current stage of our experiment, in cutaneous and mucus membrane fibroses."

For anyone familiar with human nature, it is not at all surprising that domestic support for Beljanski ended as the French government increased its efforts to silence and censure him. In the face of this mounting pressure, the continuous support and demonstration of friendship from Research Scientist Maurice Stroun from Geneva University in Switzerland is even more remarkable. Professor Stroun, as you will see in the following letter, did not hesitate to express his indignation to the French prosecutor who had issued the warrant for Beljanski's arrest. In this letter, Dr. Stroun remarkably summarized what "crimes" his friend, Dr. Mirko Beljanski, committed and explains the wrath of the French establishment. Dr. Stroun interviewed with me in Paris and verbalized what he wrote in his letter. I believe that it is appropriate here to reproduce this extraordinary letter in part, but I wish I could have the entire document, for it holds the full and flourishing signature of Professor in Biochemistry Maurice Stroun, Ph.D., from the University of Geneva, in Switzerland. The letter:

Professor Maurice Stroun, Ph.D.  
University of Geneva

The Honorable Judge Anne TARELLI  
High Court of Créteil  
Pasteur Vallery-Radot Street  
91011 Créteil

Geneva, October 21<sup>st</sup>, 1996

Dear Madam:

I would like to express how appalled I am at how Professor Mirko Beljanski has been, and is being, treated.

What crime has he committed?

a) The crime of being a great researcher, who shed light on a very special characteristic of tumor cell DNA structure, among other things? Thanks to this characteristic, he demonstrated that with a certain alkaloid (whose name and whose preparation are described in the patent he took out and which is thus available to the public), [Dr. Morton Walker's note: this alkaloid's name is flavopereirine] animal tumors can be blocked to a very significant degree. In a Geneva University Hospital laboratory, it was shown that this alkaloid blocked human cancer cell lines that had been resistant to other chemotherapy products.

b) The crime of making it possible for us to make an important discovery in the field of cancer screening? In effect, Dr. P. Anker and I just made a discovery laying the foundation for a non-invasive method for detecting cancer in the blood plasma of cancer patients. At the beginning of our research, we used Beljanski's discovery concerning the specific nature of the structure of cancer cell DNA. As you may know, in September of this year our work was praised by the most prestigious medical reviews as an important advancement in the field of oncology.

I understand that certain scientific, and especially political, personalities connected to the Health Ministry are troubled. What would become of their work if work in the U.S.A. confirms the importance of Beljanski's discoveries? It would be better to give him his walking papers, meaning arrest him, forbid him from continuing his research, and confiscate his passport so that he can no longer contact his American colleagues. It would be better to give walking papers to all those doctors who were so snide as to think that it is more important for their patients to live by breaking the established medical rules than to die by submitting to them...

...I admit that I have advised cancer and HIV positive patients to consult doctors willing to give prescriptions allowing them to use PB-100 [Pao pereira], without foregoing other treatments, except in terms of AZT. Besides, perhaps the one explains the other. If I, or a member of my family, had one of these two diseases, as a biologist fully informed as to PB-100's action, I would take it or have them take it.

Signed by Dr. Maurice Stroun

I think Professor Stroun speaks for all of us who have studied and used Dr. Beljanski's products. My hope is that they will one day become widely accepted as effective treatments by themselves and in conjunction with conventional treatments so that no one need suffer from the ill-effects of cancer treatments anymore.

---

## NOTES FOR CHAPTER 8

<sup>i</sup> *Extraordinary Healing*, chapters six and seven

<sup>ii</sup> Marcowitz, C. "Beljanski application." In *Cancer: The Beljanski Approach*. (New York City: EVI Liberty Corporation, 2003).

<sup>iii</sup> Gerson, C. & Walker, M. *The Gerson Therapy: The Amazing Nutritional Program for Cancer and Other Illness* (New York City: Kensington Publishing Corp., 2001).

<sup>iv</sup> Beljanski, M.C. *Chronique d'une 'fatwa' Scientifique*. (Paris : Tredaniel, 2003).